




ROCKTOOLS
L+H
AUSTRALIA

PRODUCT CATALOGUE

Surface Bench Drilling


EL60




*Committing to a sustainable
mining environment*








EL60 - Surface Bench Drilling







EL60 Shank Adaptors

	DRIFTER	LENGTH (mm)	OD (mm)	LHS P/N
Sandvik/Tamrock				
	HL1060T			
	HL1500T	760	80	QW75-760EL60-HK
	HL1560T			
<hr/>				
	HL1000PE			
	HL1500PE	760	65	QW84-760EL60-HK
	HL1560T			
<hr/>				
Epiroc/COP				
	COP3060MEX	840	60	QW144-840EL60-HK
<hr/>				
	COP4050ME	700	70	QW143-700EL60-HK
<hr/>				
Gardner Denver				
	HPR2	1040	60	QW83-1040EL60-HK



EL60 Couplings


	LENGTH (mm)	OD (mm)	LHS P/N
Coupling – Non-bridge, EL60 Female – EL60 Female			
	279	60	LEL60-279
Coupling – Full-bridge, EL60 Female – EL60 Female			
	300	60	LEL60-300




EL60 Rods & Tubes

	LENGTH (mm)	OD (mm)	LHS P/N
--	----------------	------------	---------

Extension Rod, Round, EL60 Male – EL60 Male

	3660	60	YGH60EL60-37L
	4265	60	YGH60EL60-43L
	6095	60	YGH60EL60-61L
	7300	60	YGH60EL60-73L

Speed Rod, Round, EL60 Female – EL60 Female

	3660	60	KYGH60EL60-37L
	4265	60	KYGH60EL60-43L
	6095	60	KYGH60EL60-61L

Guide Tube, EL60 Female – EL60 Male

	3660	87	KYG87EL60-37L
	4265	87	KYG87EL60-43L




EL60 Button Bits

Drill bits are available in **spherical**, **ballistic** and **semi-ballistic** carbide shapes.

	Size (mm)	Buttons * Size (mm)		Flushing		LHS P/N
		Gauge	Face	Side	Face	

8-Gauge Button Bit, Flat Face, Regular Skirt



92	8*13	6*13	0	2	ZQ92F-EL60
----	------	------	---	---	------------

9-Gauge Button Bit, Flat Face, Regular Skirt



102	9*14	7*13	0	3	ZQ102G1-EL60
115	9*14	7*14	0	3	ZQ115G-EL60
127	9*16	7*16	0	3	ZQ127G-EL60

9-Gauge Button Bit, Drop Centre, Regular Skirt



102	9*14	6*13, 3*12	0	3	ZQA102G1-EL60
115	9*14	6*14, 3*14	0	3	ZQA115G-EL60
127	9*16	6*14, 3*13	0	3	ZQA127G-EL60




EL60 Button Bits

Drill bits are available in **spherical**, **ballistic** and **semi-ballistic** carbide shapes.


	Size (mm)	Buttons * Size (mm)		Flushing		LHS P/N
		Gauge	Face	Side	Face	

9-Gauge Button Bit, Flat Face, Retrac Skirt



102	9*14	7*13	0	3	ZQY102G1-EL60
115	9*14	7*14	0	3	ZQY115G-EL60
127	9*16	7*16	0	3	ZQY127G-EL60

9-Gauge Button Bit, Drop Centre, Retrac Skirt



102	9*14	6*13, 3*12	0	3	ZYA102G-EL60
115	9*14	6*14, 3*14	0	3	ZYA115G-EL60
127	9*16	6*14, 3*13	0	3	ZYA127G-EL60
140	9*16	6*16, 3*14	0	3	ZYA140G-EL60
152	9*16	6*16, 3*16	0	3	ZYA152G-EL60
165	9*18	6*16, 3*16	0	3	ZYA165G-EL60



Auxiliary Tools



	Thread	Length (mm)	OD (mm)	LHS P/N
--	--------	-------------	---------	---------

Bit Adaptor, EL60 Female



T51	340	85	LEL60/T51M-340
EL68	400	85	LEL60/EL68M-400

Fishing Tool, Pike, Standard



EL60	300	88	PFT-EL60
------	-----	----	----------

Fishing Tool, Pike, Long



EL60	310	88	PFT-EL60-L
------	-----	----	------------



Contact Us

LHS Rocktools – Perth (Head Office)

Address: 10 Bell Street, Kewdale, WA, 6105

Phone: (08) 9353 3288

Email: info@lhsrta.com.au

Website: www.lhsrta.com.au

LHS Rocktools – Kalgoorlie

Address: 1-5 Kayili Road, Kalgoorlie, WA, 6430

Phone: (08) 9021 8566

LHS Rocktools – Melbourne

Address: 41 North View Drive, Sunshine West, VIC, 3020

Phone: (03) 9312 3382

LHS Rocktools – Charters Towers


Address: 28 Mt. Leyshon Road, Charters Towers, QLD, 4820

Phone: (07) 4787 8769

LHS Rocktools – Cloncurry

Address: 77 Phillips Street, Cloncurry, QLD, 4824

Phone: (07) 4742 2714



ROCKTOOLS
LHS
AUSTRALIA

LHS ROCKTOOLS (AUSTRALIA) PTY LTD

+61 8 9353 3288

info@lhsrta.com.au

www.lhsrta.com.au