

ROCKTOOLS
L+T5
AUSTRALIA

PRODUCT CATALOGUE

Surface Bench Drilling


T51



*Committing to a sustainable
mining environment*







T51 - Surface Bench Drilling










T51 Shank Adaptors

	DRIFTER	LENGTH (mm)	OD (mm)	LHS P/N
Sandvik/Tamrock				
	HL1000 HL1010	670	52	QW-34-3L-HK
	HL1500PE65	760	65	QW84-760T51-HK
Epiroc/COP				
	COP2160EX COP2560EX	770	63	QW-89-1L-HK
	COP3060MEX	838	60	QW144-838T51-HK






T51 Shank Adaptors

	DRIFTER	LENGTH (mm)	OD (mm)	LHS P/N
Gardner Denver				
	HPR2	915	51	QW-38-1L-HK
	HPR2-70	1040	70	QW-83-1L-HK
Montabert				
	HC120R HC150R HC155R HC158R	670	51	QW-49-1L-HK
	HC160 HC170	804	60	QW-74-1L-HK
	HC200A	865	60	QW-71-2L-HK



T51 Couplings & Adaptors

	LENGTH (mm)	OD (mm)	LHS P/N
Coupling – Non-bridge, T51 Female – T51 Female			
	235	76	LT51-235AS
Coupling – Full-bridge, T51 Female – T51 Female			
	250	76	LT51-250
Adaptor, T51 Male – T51 Male			
	250	51	LT51M-250



T51 Rods & Tubes

	LENGTH (mm)	OD (mm)	LHS P/N
--	----------------	------------	---------

Rod – Round, Extension (T51 Male – T51 Male)




3660	51	YGH51T51-37L
4265	51	YGH51T51-43L
6095	51	YGH51T51-61L
7300	51	YGH51T51-73L

Rod – Round, Speed (T51 Male – T51 Female)




3660	51	KYGH51T51-37L
4265	51	KYGH51T51-43L
6095	51	KYGH51T51-61L

Guide Tube – Round, T51 Male – T51 Female



3660	76	KYG76T51-37L
------	----	--------------

Guide Tube – Round, T51 Female – T51 Female



3660	76	KYK76T51-37L
3660	87	KYK87T51-37L




T51 Button Bits

Drill bits are available in **spherical**, **ballistic** and **semi-ballistic** carbide shapes.

Size (mm)	Buttons * Size (mm)		Flushing		LHS P/N
	Gauge	Face	Side	Face	

8-Gauge Button Bit, Flat Face, Regular Skirt



76	8*12	4*12	1	2	ZQ76F-T51
80	8*12	5*12	0	2	ZQ80F2-T51
89	8*12	6*12	2	2	ZQ89F5-T51
89	8*14	6*12	0	2	ZQ89F8-T51
102	8*14	6*14	0	2	ZQ102F1-T51
102	8*16	6*14	0	2	ZQ102F3-T51
115	8*16	6*14	0	2	ZQ115F6-T51
127	8*16	8*14	0	2	ZQ127F4-T51
140	8*16	8*16	0	2	ZQ140F-T51

9-Gauge Button Bit, Flat Face, Regular Skirt




89	9*11	6*11	0	3	ZQ89G3-T51
102	9*13	9*11	0	3	ZQ102G3-T51
115	9*14	7*14	0	3	ZQ115G-T51
127	9*14	9*14	0	3	ZQ127G-T51
140	9*16	9*14	0	3	ZQ140G-T51
152	9*16	11*14	0	3	ZQ152G-T51



T51 Button Bits

Drill bits are available in **spherical**, **ballistic** and **semi-ballistic** carbide shapes.

8-Gauge Button Bit, Drop Centre, Regular Skirt




Size (mm)	Buttons * Size (mm)		Flushing		LHS P/N
	Gauge	Face	Side	Face	
76	8*12	4*11, 1*9	0	4	ZQA76F-T51
80	8*12	4*12, 1*9	0	4	ZQA80F1-T51
89	8*12	4*12, 2*10	0	4	ZQA89F2-T51
89	8*12	4*12, 2*10	0	4	ZQA89F6-T51
102	8*14	4*12, 3*11	0	4	ZQA102F-T51
115	8*14	4*14, 2*12	0	4	ZQA115F5-T51
127	8*16	4*14, 4*12	2	4	ZQA127F1-T51
140	8*16	4*16, 4*14	0	4	ZQA140F-T51

9-Gauge Button Bit, Drop Centre, Regular Skirt



89	9*11	6*11, 2*9	0	3	ZQA89G-T51
102	9*12	6*11, 2*10	0	3	ZQA102G-T51
115	6*14	6*12, 3*11	0	3	ZQA115G-T51
127	9*14	6*14, 3*11	0	3	ZQA127G-T51
140	9*16	6*16, 3*14	0	3	ZQA140G-T51
152	9*16	6*16, 4*14	0	3	ZQA152G-T51
165	9*16	9*14, 4*14	0	3	ZQA165G-T51
178	9*16	9*16, 4*14	0	3	ZQA178G-T51

8-Gauge Button Bit, Flat Face, Retractable Skirt



115	8*14	6*14	0	2	ZQY115F1-T51
115	8*14	7*14	0	2	ZQY115F3-T51




T51 Button Bits

Drill bits are available in **spherical**, **ballistic** and **semi-ballistic** carbide shapes.

	Size (mm)	Buttons * Size (mm)		Flushing		LHS P/N
		Gauge	Face	Side	Face	

9-Gauge Button Bit, Flat Face, Retrac Skirt



89	9*11	6*11	0	3	ZQY89G2-T51
102	9*12	7*12	0	3	ZQY102G3-T51

8-Gauge Button Bit, Drop Centre, Retrac Skirt



80	8*12	4*11, 1*9	0	4	ZYA80F1-T51
89	8*12	4*11, 2*11	0	4	ZYA89F11-T51
102	8*14	4*12, 3*11	0	4	ZYA102F10-T51
115	8*14	4*14, 3*12	0	4	ZYA115F3-T51
127	8*14	4*14, 4*12	0	4	ZYA127F2-T51

9-Gauge Button Bit, Drop Centre, Retrac Skirt




131	9*14	6*14, 3*12	0	3	ZYA131G-T51
140	9*16	6*14, 3*14	0	3	ZYA140G-T51
152	9*16	6*16, 3*16	0	3	ZYA152G-T51
165	9*16	6*16, 3*16	0	3	ZYA165G-T51



T51 Compound Bits

	Size (mm)	Flushing		LHS P/N
		Side	Face	

Cross & Button Bit, Standard Skirt



89	0	1	SFQ89YE-T51B1
102	0	1	SFQ102YE-T51B1
115	0	1	SFQ115YE-T51B1
127	0	1	SFQ127YE-T51B1



Cross & Button Bit, Retractable Skirt



89	0	1	SYFQ89YE-T51B1
102	0	1	SYFQ102YE-T51B1
115	0	1	SYFQ115YE-T51B1
127	0	1	SYFQ127YE-T51B1





Auxiliary Tools

	Thread	Length (mm)	OD (mm)	LHS P/N
Bit Adaptor, T51 Female				
	T45	225	10	LT51/T45M-225
	EL60	315	85	LT51/EL60M-315
	EL68	350	85	LT51/EL68M-350
Fishing Tool, Pike, Standard				
	T51	230	72	PFT-T51



Auxiliary Tools

	Thread	Length (mm)	OD (mm)	LHS P/N
Fishing Tool, Sleeve, Standard				
	T51	260	76	BT-T51
Fishing Tool, Sleeve, Long				
	T51	445	82	BT-T51L



Contact Us

LHS Rocktools – Perth (Head Office)

Address: 10 Bell Street, Kewdale, WA, 6105

Phone: (08) 9353 3288

Email: info@lhsrta.com.au

Website: www.lhsrta.com.au

LHS Rocktools – Kalgoorlie

Address: 1-5 Kayili Road, Kalgoorlie, WA, 6430

Phone: (08) 9021 8566

LHS Rocktools – Melbourne

Address: 41 North View Drive, Sunshine West, VIC, 3020

Phone: (03) 9312 3382

LHS Rocktools – Charters Towers


Address: 28 Mt. Leyshon Road, Charters Towers, QLD, 4820

Phone: (07) 4787 8769

LHS Rocktools – Cloncurry

Address: 77 Phillips Street, Cloncurry, QLD, 4824

Phone: (07) 4742 2714



ROCKTOOLS
LHS
AUSTRALIA

LHS ROCKTOOLS (AUSTRALIA) PTY LTD

+61 8 9353 3288

info@lhsrta.com.au

www.lhsrta.com.au